ENZO™ U.S. Order Form

June 2020

Leggero Customer Service: 1-844-503-5437

Email: Sales@leggero.us

8am - 5pm Central Time Monday-Friday

Date: _____ ☐ **QUOTE** ☐ **ORDER - PO#** _____

Company Name: _____ Ship To: _____

Contact Name: _____ Attention: _____

ATP Name: _____ Address: _____

Billing Address: _____ _____

City: _____ ST: _____ ZIP: _____ City: _____ ST: _____ ZIP: _____

Phone: _____ Fax: _____

Email: _____ **Mark for:** _____




Model shown with accessories and Stealth Seating

Colors shown:
Graphite Grey with Sunset Orange Decal

MEASUREMENT WORKSHEET

A. Seat Depth _____
B. Trunk Depth _____
C. Trunk Width _____
D. Hip Width _____
E. Seat to Top of Shoulder _____
F. Lower Leg Length _____
G. Seat to Axilla _____



ENZO™ includes:

- WC-19 Transit System with Belt
- 45° Posterior Tilt plus 5° Anterior
- Choice of Folding or Rigid Frame
- Choice of Wheel and Caster Sizes
- Choice of Tilt Actuation Mechanism
- Choice of Wheel Lock System
- Adjustable Depth Seat Canes
- Adjustable Height Back Canes
- Sunshade

Packages may vary per customer

Specifications & Adjustability*

	Folding & Rigid
Capacity	**185 lbs / 84 kg**
Seat Depth	**11-20" / 28-51 cm**
Seat Width	**12-18" / 30-46 cm**
Seat to Floor	**13.5-20" / 34-51 cm**
Tilt Angle	**-5° to 45°**
Hip Angle	**90° to 110°**

**Please see product literature for additional specifications.*

Prices and specifications are subject to change without notice. ©2020 Leggero LLC.

ENZO™ Wheelchair

☐	3101-0201	E1234	**ENZO™ Side-Fold**	$3,139.00	***OR***	☐	3101-0001	E1233	**ENZO™ Rigid**	$3,039.00

Side-Fold Options

Select width range and setting. Setting will default to minimum if not specified.

☐	3101-0214	Adjustable Side-Fold 12-14 in / 30.5-35.6 cm		n/c
	Set to:	☐ 12 in / 30.5 cm	☐ 13 in / 33.0 cm	☐ 14 in / 35.6 cm
☐	3101-0216	Adjustable Side-Fold 14-16 in / 35.6-40.6 cm		n/c
	Set to:	☐ 14 in / 35.6 cm	☐ 15 in / 38.1 cm	☐ 16 in / 40.6 cm
☐	3101-0218	Adjustable Side-Fold 16-18 in / 40.6-45.7 cm		n/c
	Set to:	☐ 16 in / 40.6 cm	☐ 17 in / 43.2 cm	☐ 18 in / 45.7 cm

OR

Rigid Options

☐	3101-0012	ENZO Rigid 12 in / 30.5 cm	n/c
☐	3101-0013	ENZO Rigid 13 in / 33.0 cm	n/c
☐	3101-0014	ENZO Rigid 14 in / 35.6 cm	n/c
☐	3101-0015	ENZO Rigid 15 in / 38.1 cm	n/c
☐	3101-0016	ENZO Rigid 16 in / 40.6 cm	n/c
☐	3101-0017	ENZO Rigid 17 in / 43.2 cm	n/c
☐	3101-0018	ENZO Rigid 18 in / 45.7 cm	n/c

Decal and Frame Color Options

Decal color options

☐	3101-0106-D	Voltage Green	☐	3101-0110-D	Azure Blue
☐	3101-0107-D	Sunset Orange	☐	3101-0111-D	Dragon Fruit Red
☐	3101-0108-D	Starburst Yellow	☐	3101-0112-D	Galaxy Purple
☐	3101-0109-D	Magenta Pink	☐	3101-0113-D	Midnight Black
			☐	3101-0199-D	Omit Decal

Color choice (-F) applies to frame

☐	3101-0106-F	Voltage Green	☐	3101-0110-F	Azure Blue
☐	3101-0107-F	Sunset Orange	☐	3101-0111-F	Dragon Fruit Red
☐	3101-0108-F	Starburst Yellow	☐	3101-0112-F	Galaxy Purple
☐	3101-0109-F	Magenta Pink	☐	3101-0113-F	Graphite Grey

Seat Tilt Range

A range limiting shaft collar will be installed by the factory if 3101-7005 is selected. Otherwise, range limiting shaft collar will be packaged with the user manual.

☐	3101-7012	-5° to 45° (Include, but do not install range limiter)	Standard
☐	3101-7013	0° to 45° (Install range limiter)	n/c

Transit Option

The transit option includes 4 installed anchors & has been tested in compliance with WC-19 standards. Tested with Stealth WC-20 Transit Knob Hardware.

For more information on RESNA WC-19 & WC-20 please visit www.wc-transportation-safety.com.

Transit Option

☑	Transit Option Included In Base Price (RESNA WC-19)	n/c

This option is not retrofittable.

AND

Transit Belt or Harness

Transit Belt is Required

☐	3101-7014	K0108	Transit - Sure-Lok Lap Belt (12-14")	n/c
☐	3101-7015	K0108	Transit - Sure-Lok Lap Belt (15-18")	n/c

Back Cane Options

Back Cane Height & Options

Select a back cane height. Height measured from top of seat rails.

☐	3101-4012	Back Cane for up to 18"/46 cm clamp height (Standard for 12-14" Width Chair)	n/c
☐	3101-4014	Back Cane for up to 20"/51 cm clamp height (Standard for 14-16" Width Chair)	n/c
☐	3101-4016	Back Cane for up to 22"/56 cm clamp height (Standard for 16-18" Width Chair)	n/c

Rigidizer Bar Options

☐	3101-4001	Add Non-folding Rigidizer Bar between Back Canes (vertical position adjustable)	$125.00
☐	3101-4002	Add Flip-Down Rigidizer Bar between Back Canes (vertical position adjustable)	$194.00

Bolt Adjustable Back Cane Angle

Select preferred factory setting.

☐	3101-4090	90°	Standard
☐	3101-4095	95°	n/c
☐	3101-4100	100°	n/c
☐	3101-4105	105°	n/c
☐	3101-4110	110°	n/c

Push Handle, Tilt Actuation, Drum Brake, and Wheel Lock Options

		Tilt Option	Push to Lock Wheel Lock[1]	Attendent Hub Lock[2]	Dual: Push to Lock and Hub Lock[2]	Drum Brake[3] E2228
Options for Side Fold Chairs	Split Stroller Handles [$75]	3101-2007 | Foot Tilt	□ -1 [n/c]			
	90° Wheelchair Push Handles	3101-2001 | Foot Tilt	□ -1 [n/c]			□ -4 [$1200]
		3101-2002 | Hand Tilt	□ -1 [n/c]	□ -2 [n/c]	□ -3 [$70]	
Options for Rigid Chairs	90° Wheelchair Push Handles	3101-2003 | Foot Tilt	□ -1 [n/c]	□ -2 [n/c]	□ -3 [$70]	□ -4 [$1200]
		3101-2004 | Hand Tilt	□ -1 [n/c]	□ -2 [n/c]	□ -3 [$70]	
	Stroller Handle	3101-2005 | Foot Tilt	□ -1 [n/c]	□ -2 [n/c]	□ -3 [$70]	
		3101-2006 | Hand Tilt	□ -1 [n/c]	□ -2 [n/c]	□ -3 [$70]	

[1] Not compatible with O2 Holder. [2] Requires 12" or 16" hub lock wheels. [3] Requires 16" drum brake wheels.

Prices and specifications are subject to change without notice. ©2020 Leggero LLC.

Caster and Wheel Options

*Select **one** wheel / caster / STF combination from the options below. Then select related options. STF heights are approximate and meaured with the seat rails level.*

Wheel Size	Caster Size	Seat To Floor Height Options *Item number builds from selection: 3101-WWWW-CC-STF where W = Wheel Selection, C = Caster Selection, STF = Seat to Floor Selection*												
⇩	⇩	13.5"/34cm	14"/35cm	14.5"/37cm	15"/38cm	15.5"/39cm	16"/40cm	16.5"/42cm	17"/43cm	17.5"/44cm	18"/46cm	18.5"/47cm	19"/48cm	19.5"/49cm	20"/51cm
12"/30cm 3101-2010	**5"/13cm** -05	13.5"/34cm -135 ☐ *‡	14"/35cm -140 ☐		15"/38cm -150 ☐	15.5"/39cm -155 ☐	16"/40cm -160 ☐	16.5"/42cm -165 ☐	17"/43cm -170 ☐						
	6"/15cm -06				15"/38cm -150 ☐	15.5"/39cm -155 ☐	16"/40cm -160 ☐	16.5"/42cm -165 ☐	17"/43cm -170 ☐						
	7"/18cm -07					15.5"/39cm -155 ☐	16"/40cm -160 ☐	16.5"/42cm -165 ☐	17"/43cm -170 ☐						
16"/40cm 3101-2011	**5"/13cm** -05		14"/35cm -140 ☐ ‡	14.5"/37cm -145 ☐ ‡	15"/38cm -150 ☐ ‡	15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐		17"/43cm -170 ☐	17.5"/44cm -175 ☐	18"/46cm -180 ☐				
	6"/15cm -06				15"/38cm -150 ☐ ‡	15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐		17"/43cm -170 ☐	17.5"/44cm -175 ☐	18"/46cm -180 ☐	18.5"/47cm -185 ☐			
	7"/18cm -07					15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐		17"/43cm -170 ☐	17.5"/44cm -175 ☐	18"/46cm -180 ☐	18.5"/47cm -185 ☐	19"/48cm -190 ☐		

12" or 16" Hub Lock (HL) Poly Mag Leggero Smooth Roll Wheels and Casters [n/c]

HL12"/30cm 3101-2012	**5"/13cm** -05				15"/38cm -150 ☐ ‡	15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐ ‡	16.5"/42cm -165 ☐	17"/43cm -170 ☐						
	6"/15cm -06				15"/38cm -150 ☐ ‡	15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐ ‡	16.5"/42cm -165 ☐	17"/43cm -170 ☐						
	7"/18cm -07					15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐ ‡	16.5"/42cm -165 ☐	17"/43cm -170 ☐						
HL16"/40cm 3101-2013	**5"/13cm** -05								17"/43cm -170 ☐ ‡	17.5"/44cm -175 ☐ ‡	18"/46cm -180 ☐ ‡				
	6"/15cm -06								17"/43cm -170 ☐ ‡	17.5"/44cm -175 ☐ ‡	18"/46cm -180 ☐ ‡	18.5"/47cm -185 ☐			
	7"/18cm -07								17"/43cm -170 ☐ ‡	17.5"/44cm -175 ☐ ‡	18"/46cm -180 ☐ ‡	18.5"/47cm -185 ☐	19"/48cm -190 ☐		

16" Drum Brake (DB) Compatible Poly Mag Wheels and Leggero Smooth Roll Casters [n/c]

DB16/40cm 3101-2014	**5"/13cm** -05		14"/35cm -140 ☐ ‡	14.5"/37cm -145 ☐ ‡	15"/38cm -150 ☐ ‡	15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐		17"/43cm -170 ☐	17.5"/44cm -175 ☐	18"/46cm -180 ☐				
	6"/15cm -06				15"/38cm -150 ☐ ‡	15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐		17"/43cm -170 ☐	17.5"/44cm -175 ☐	18"/46cm -180 ☐	18.5"/47cm -185 ☐			
	7"/18cm -07					15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐		17"/43cm -170 ☐	17.5"/44cm -175 ☐	18"/46cm -180 ☐	18.5"/47cm -185 ☐	19"/48cm -190 ☐		

20" Mag Wheels and Leggero Smooth Roll Casters [n/c]

20"/51cm 3101-2015	**5"/13cm** -05					15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐ ‡	16.5"/42cm -165 ☐ ‡	17"/43cm -170 ☐ ‡	17.5"/44cm -175 ☐					
	6"/15cm -06					15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐ ‡	16.5"/42cm -165 ☐ ‡	17"/43cm -170 ☐ ‡	17.5"/44cm -175 ☐		18.5"/47cm -185 ☐			
	7"/18cm -07					15.5"/39cm -155 ☐ ‡	16"/40cm -160 ☐ ‡	16.5"/42cm -165 ☐ ‡	17"/43cm -170 ☐ ‡	17.5"/44cm -175 ☐		18.5"/47cm -185 ☐	19"/48cm -190 ☐	19.5"/49cm -195 ☐	20"/51cm -200 ☐

Tire Options for 20" Mag Wheels

☐	3101-2027		20" Poly Tire	n/c
☐	3101-2017	E2213	20" Rubber Tire with Airless Insert	$90.00

Handrim Options for 20" Mag Wheels

☐	3101-2016	20" Anodized Aluminum Handrim	$119.00

22" Spoke Wheels with Anodized Aluminum Handrims [+ $204] and Leggero Smooth Roll Casters

22"/56cm 3101-2018	**5"/13cm** -05							16.5"/42cm -165 ☐ ‡	17"/43cm -170 ☐ ‡	17.5"/44cm -175 ☐ ‡	18"/46cm -180 ☐ ‡				
	6"/15cm -06							16.5"/42cm -165 ☐ ‡	17"/43cm -170 ☐ ‡	17.5"/44cm -175 ☐ ‡	18"/46cm -180 ☐ ‡	18.5"/47cm -185 ☐			
	7"/18cm -07							16.5"/42cm -165 ☐ ‡	17"/43cm -170 ☐ ‡	17.5"/44cm -175 ☐ ‡	18"/46cm -180 ☐ ‡	18.5"/47cm -185 ☐		19.5"/49cm -195 ☐	20"/51cm -200 ☐

Tire Options for 22" Spoke Wheels

☐	3101-2023		22" Poly Tire	n/c
☐	3101-2024		22" Pneumatic Tire	n/c
☐	3101-2019	E2213	22" Airless Insert	+ $90.00

Handrim Options for 22" Spoke Wheels

☐	3101-2099	Omit Anodized Alum Handrim	n/c

24" Spoke Wheels with Anodized Aluminum Handrims [+ $204] and Leggero Smooth Roll Casters

24"/61cm 3101-2021	**5"/13cm** -05									17.5"/44cm -175 ☐ ‡	18"/46cm -180 ☐ ‡				
	6"/15cm -06									17.5"/44cm -175 ☐ ‡	18"/46cm -180 ☐ ‡	18.5"/47cm -185 ☐ ‡			
	7"/18cm -07									17.5"/44cm -175 ☐ ‡	18"/46cm -180 ☐ ‡	18.5"/47cm -185 ☐ ‡	19"/48cm -190 ☐ ‡	19.5"/49cm -195 ☐	

Tire Options for 24" Spoke Wheels

☐	3101-2025		24" Poly Tire	n/c
☐	3101-2026		24" Pneumatic Tire	n/c
☐	3101-2022	E2213	24" Airless Insert	+ $90.00

Handrim Options for 24" Spoke Wheels


☐	3101-2199	Omit Anodized Alum Handrim	n/c

** Anterior tilt is not available with 13.5"/34cm STF option*

‡ Indicates wheel position is not compatible with the extended rear seat rail option (3101-3110)

Wheelbase Options

☐	3101-2095	**Default:** Leggero will select optimal postion
☐	3101-2091 Default for widths below 14"	1: Minimum (17.5 in / 44 cm) Caster Arm in Back Position Axle Plate in Forward Position
☐	3101-2092	2: Medium Shifted Forward (18.5 in / 47 cm) Caster Arm in Forward Position Axle Plate in Forward Position
☐	3101-2093	3: Medium Shifted Back (18.5 in /47 cm) Caster Arm in Back Position Axle Plate in Back Position
☐	3101-2094 Default for widths 14"+	4: Maximum (19.5 in / 49 cm) Caster Arm in Forward Position Axle Plate in Back Position



Hanger Mount and Seat Rail Options

Seat Rail Length A, in figure above, is measured to the back cane. Back cushion thickness should be factored into overall seat depth required.

The front surface of the installed back cushion must be within 1" (2.5 cm) of the tilt pivot to maintain a safe center of gravity. Seat rail holes are spaced 1" (2.5 cm) apart.

Using abducted seat rails with short seat depths will cause additional caster interference.

Seat Rail Length A Options (A = Seat Depth + Back Cushion Thickness)

☐	3101-3010	Standard Hanger / Length A Range 13-19"/33-48 cm (Standard for 12-14" Width Chair)	n/c
☐	3101-3020	Standard Hanger / Length A Range 14-20"/36-51 cm (Standard for 14-16" Width Chair)	n/c
☐	3101-3030	Standard Hanger / Length A Range 17-22"/43-56 cm (Standard for 16-18" Width Chair)	n/c
☐	3101-3040	1" Offset Hanger / Length A Range 13-19"/33-48 cm (Option for 12-16" Width Chair)	n/c
☐	3101-3050	1" Offset Hanger / Length A Range 17-22"/43-56 cm (Option for 16-18" Width Chair)	n/c

Extended Rear Seat Rail Option

☐	3101-3110	Long Rear Seat Rails, adds 3" / 8 cm behind pivot to both seat rails.	n/c

Armrests & Positioning Tray

Select an armrest style and pad length. Armrest height is measured from the top of the seat rail to the top of the armpad.

Armrests

☐	3101-6001	E0973	Back Cane Mounted Locking Flip Up Armrests (Height: 7-13"/19-33 cm; height may be increased to 14"/36 cm with longest back canes)	$265.00
☐	3101-6010	E0973	Back Cane Mounted Non-Locking Flip Up Armrests (Height: 7-13"/19-33 cm; height may be increased to 14"/36 cm with longest back canes)	$265.00
☐	3101-6002	E0973	Seat Rail Mounted, Single Post Height Adjustable / Removable, Short (Height: 8.5-10.5"/22-27 cm)	$285.00
☐	3101-6003	E0973	Seat Rail Mounted, Single Post Height Adjustable / Removable, Tall (Height: 10.5-14"/27-36 cm)	$285.00

Armrest Pad Length (selection required with **Armrests**)

☐	3101-6004	Desk Length 10"/25 cm Seat Rail Mounted	n/c
☐	3101-6005	Full Length 13.5"/34 Back Cane Mounted	n/c

Positioning Tray (only if **Armrests** are selected)

☐	3101-6006	E0950	Clear Positioning Tray Platform (12-14")[1]	$150.00
☐	3101-6007	E0950	Clear Positioning Tray Platform (14-16")[1]	$150.00
☐	3101-6008	E0950	Clear Positioning Tray Platform (16-18")[1]	$150.00
☐	3101-6009	E1028	Tray Hardware, Height Adjustable	$209.00

[1] *Armrests & Tray Hardware are required when ordering Tray Platform*

Prices and specifications are subject to change without notice. ©2020 Leggero LLC.

Front Rigging & Foot Plate

*Select front rigging type from options **A** or **B**. Then continue your selections to the right to complete the package.*

A. Standard Front Rigging

Select rigging style, then select length from table to the right.

☐	3101-5099		Omit Front Rigging and Foot plates	n/c
☐	3101-5002		70° Swing Away Leg Hangers	n/c
☐	3101-5003		80° Swing Away Leg Hangers	n/c
☐	3101-5001		90° Swing Away Leg Hangers	n/c
☐	3101-5005	E0990	Swing Away ELR	$255.00

Front Rigging Length, Foot Plate, Calf Pad (only if **A** is selected)

Append the rigging length combination's two digit part number extenstion to the rigging part number.

Front rigging lengths are measured from top of seat rail to the foot plate. For example, if 20" (51 cm) lower leg length is required, use the long upper, long lower, and a 3" (8 cm) thick seat cushion. Front rigging length must be shorter than selected STF length.

	Short Extension	Standard Extension
Short Upper*	7.5-11.5"/19-29 cm -11 ☐	7.5-13.5"/19-34 cm -12 ☐
Medium Upper	9-13"/23-33 cm -21 ☐	9-15"/23-38 cm -22 ☐
Long Upper	n/a	11-17"/28-43 cm -32 ☐

☐	3101-5199		Omit Foot Plate	n/c
☐	3101-5008	K0040	Flip Up, Height/Angle Adjustable, Alum.	$185.00
☐	3101-5007	E0951	Heel Loop for Foot Plate	$40.00
☐	3101-7016	E0995	Calf Pad, Left*	$40.00
☐	3101-7017	E0995	Calf Pad, Right*	$40.00

* Calf Pad is not compatible with Short Upper

B. Direct Mount Front Rigging

☐	3101-5004		90° Swing-away Direct Mount Leg Hangers *For lower leg length of 3-9"/8-23 cm*	n/c

Direct Mount Foot Plate (only if **B** is selected)

☐	3101-5006	K0040	Direct Mount Flip Up, Height/Ang. Adj. Alum.	$185.00
☐	3101-5007		Heel Loop for Foot Plate	$40.00

Enzo Seat Pan Options

Removable Seat Pans

Width and Depth Adjustable

☐	3101-ESSP12	E2231	Enzo Solid Seat Pan Width 12"-13", Depth 12"-18"	$290.00
☐	3101-ESSP14	E2231	Enzo Solid Seat Pan Width 14"-15", Depth 13"-19"	$290.00
☐	3101-ESSP16	E2231	Enzo Solid Seat Pan Width 16"-17", Depth 15-22"	$290.00
☐	3101-ESSP17	E2231	Enzo Solid Seat Pan Width 17"-18", Depth 15"-22"	$290.00

**Leggero Removable Hardware is required with the Enzo Removable Seat Pan*

Leggero Removable Hardware

☐	3101-ERSPH	K0108	Removable Seat Pan Hardware	$198.00

Fixed Solid Seat Pan

☐	3101-EFSP1214	E2231	Enzo Fixed Seat Pan 12x14	$200.00
☐	3101-EFSP1416	E2231	Enzo Fixed Seat Pan 14x16	$200.00
☐	3101-EFSP1616	E2231	Enzo Fixed Seat Pan 16x16	$200.00
☐	3101-EFSP1718	E2231	Enzo Fixed Seat Pan 17x18	$200.00
☐	3101-EFSP1818	E2231	Enzo Fixed Seat Pan 18x18	$200.00

**Not Compatible with Side Fold Frames*

Prices and specifications are subject to change without notice. ©2020 Leggero LLC.

Pelvic Positioning Options

SP™ Pelvic Positioning Belts

☐	IFPB5141	E0978	4-Point, Push Button 1", XS	$130.00
☐	IFPB5242	E0978	4-Point, Push Button 1.5", SM	$130.00
☐	IFPB5243	E0978	4-Point, Push Button 1.5", M	$130.00
☐	IFPB5111	E0978	2-Point, Push Button 1", XS	$86.00
☐	IFPB5112	E0978	2-Point, Push Button 1", SM	$86.00

Rear Anti-Tips

Anti-Tip Selection is Required

☐	3101-7005	E0971	Curb Assist Flip Up, Adjustable (pair)	$150.00
☐	3101-7006	E0971	Flip Up, Adjustable (pair)	$150.00

Curb assist pair includes one standard and one curb assist anti-tip.

Medical Mounting Accessories

Medical Mounting Accessories must be factory installed. Combined weight of accessories & occupant must not exceed chair capacity.

Ventilator, oxygen tank, and any other accessories must be removed and secured off chair during transit in a motor vehicle.

☐	3101-7007	K0105	IV Pole	$150.00
☐	3101-7008	E2208	Oxygen Tank Holder (D size)	$175.00
☐	3101-7009	E1029	LTV Bracket for LTV950	$250.00

☐	3101-7010	E1029	Equipment Tray	$350.00
☐	3101-7011	E1029	LTV950 Bracket and Equip. Tray	$495.00

O2 Holder is not compatible with standard wheel locks. Requires 12 or 16" rear wheels. Requires STF between 17-19" (43-48 cm). Wheelbase will be set to required position.

Rigid frame, Rigidizing Bar 3101-4001, and 14" or wider chair is required for LTV950 bracket

Rigid frame is required for Equipment Tray.

When Equipment Tray is ordered in combination with Oxygen Tank Holder, a Hub Lock is required.

**** FOR A SINGLE INVOICE THAT INCLUDES STEALTH SEATING, ATTACH COMPLETED ORDER FORM****

www.Stealthproducts.com



*The **HCPCS CODES** provided are based on code verification through PDAC or our interpretation of the code definitions and are not to be deemed as legal advice. The use of **HCPCS CODES** does not ensure coverage or payment. Appropriate billing codes are the responsibility of DME providers. For coverage information, verify the appropriate payer's coverage policy.*

Prices and specifications are subject to change without notice. ©2020 Leggero LLC.